

PELARIS

THE CROWD-PLEASING 2021 POLARIS FAMILY OF SLEDS

Only the original winter warriors could bring you a line-up built entirely from the ride up. It started with a love of the outdoors, a Minnesota winter and the memories with friends that can only be created on the snow. Building the perfect snowmobile has been our obsession since we started in 1954. Time to flip the switch and ignite the fun for 2021.



WE MADE IT SO YOU CAN

LIVE IT.

POLARIS







DEED SNOW: PGS. 20-27



SWITCHERCK ON 8 OFF TRAILS: PGS. 28-35



TITAN



VOYAGEUR

Polaris Snowmobiles are about more. More time spent exploring. More riding firsts. More thrilling moments. More connection and more appreciation for the escape you can only experience on the snow. We design the best sleds, built by the best team, ridden by the best riders and delivered through the best dealers - making control and confidence come to life on every single ride.



TEAM POLARIS ATHLETES

Elite, professional riders that train and ride all year long. For these athletes, snowmobiling is more than a hobby. It's a way of life.



Heart pounding, snow flying, full throttle riders pushing the limits each and every race.



Whether you're a trail rider, an up and coming racer or simply new to the sport - welcome to the Polaris family

WE MADE IT SO YOU CAN

LIVE IT.


PCLARIS



their enthusiasm and knowledge for the sport of snowmobiling.



The 850 Patriot engine was designed from the ground up for class-leading durability, unrivaled acceleration and industry best power-to-weight. The 850 Patriot is the most powerful snowmobile engine ever built by Polaris.



INTRODUCING THE 650 PATRIOT: BORN FROM THE HEART OF A BEAST.

LIBERTY 650 PATRIOT

The new king of the core class has arrived. The all-new 650 Patriot built on the proven 850 architecture is designed to deliver unparalleled durability, refined run quality and a new level of fuel economy Throttle response is instant, power is pure and acceleration is smooth from first pul to full throttle.



Different riders and different styles, that's why we offer a complete line-up of engines. From taking the tightest tree lines in the deep powder with the ultimate responsiveness of our 850 Patriot to cruising the trails with the proven fan-cooled 550, we're proud to deliver the fun factor that keeps you pushing more miles with more reliability and more confidence. Our engines are built to integrate seamlessly with the lightweight and agile Polaris chassis. Most Polaris snowmobiles feature class-leading power-to-weight ratios and set a new benchmark for ultimate performance.



LIBERTY 800 H.O. CLEANFIRE

The "Proven Polaris Benchmark", is part of the Polaris family of Liberty engines built in the USA. This engine was developed in conjunction with the AXYS platform to deliver ultimate responsiveness, performance and quality with class-leading power-to-weight.



LIBERTY 600 CLEANFIRE

The 600 Cleanfire engine is part of the Polaris family of Liberty engines built in the USA. This engine is a 600cc, liquid-cooled, SDI engine that provides proven reliable performance, instant acceleration, easy starting and great response.



550

Proven, durable, fan-cooled engine provides reliable performance at a great value.





LEGENDARY PERFORMANCE SIMPLY FUN

For over 40 years, the INDY name has stood for performance. For 2021, the INDY is reborn in the VR1 and XC Launch Edition, built on the Matryx platform with the INDY XCR, INDY XC 129/137 and INDY Adventure 137 built on the AXYS platform.

WE MADE IT SO YOU CAN

LIVE IT.

POLARIS



THE BEST VALUE IN

EXPLORE WHAT'S AROUND THE NEXT CORNER

RACE-PROVEN STRENGTH

EVOLVED FOR NEW TRAIL RIDERS

TRAIL RIDING FUN

THE TRAIL PERFORMANCE STANDARD

THE TRAIL PERFORMANCE

DOMINATING TRAIL PERFORMANCE

INDY VR1 DOMINATING TRAIL PERFORMANCE

Introducing the SnowCheck-exclusive INDY VR1 on the all-new rider-first Matryx platform-unlocking the next dimension in dominating trail performance and technology.

The light and rigid Matryx platform, coupled with the powerful 650 and 850 Patriot engines are designed to deliver class leading power to weight ratio for arm-stretching acceleration on the trail or the lake.

Effortless control in any condition is enabled by an all-new, snocross-inspired cockpit proven on the track to reduce effort and improve rider connection to the sled. Ultra-premium Walker Evans Velocity shocks, race inspired IFS and proven Pro-CC rear suspension combine to create the best handling trail sled ever.

FEROCIOUS ACCELERATION **EFFORTLESS CONTROL** INTELLIGENT TECHNOLOGY



MATRYX RIDER FIRST DESIGN

HANDLING BORN FROM RACE, PERFECTED FOR THE TRAIL

RIDER POSITION

Our narrowest rider cockpit on the market enables active rider dynamics. The all new seat, tank, and sculpted body panels were developed by riders for a seamless and effortless rider active experience.

WIND PROTECTION

CFD optimized for improved leg and lower body comfort and protection. Enhanced windshield design for hand protection and less wind buffeting.

PURPOSEFUL DESIGN

Sleek, purposeful form. Nothing is wasted. Every part has a function. Every detail obsessively perfected.









Designed with integrated Ride Command, the 7S Display brings a whole new level of intuitive, touchscreen control and customization with our largest and most sophisticated display yet.

- Ride Command Trail Maps included
- Group Ride Tracking, with or without cellular connection
- Four Customizable Screens
- Bluetooth Connectivity
- 7" Full Color Touch-Screen



This new headlight brings state of the art lighting technology to Polaris riders. Six projector beam optics deliver precision lighting with an engineered pattern to deliver exceptional visibility



Control the 7S Display and SmartWarmers from the new left hand control. Only with the new Polaris SmartWarmers can you customize three distinct temperature settings and maintain consistent heat throughout your ride.



Our fastest, easiest and most secure accessory-mounting



All-new Velocity Series shocks deliver the ultimate in control and comfort with enhanced bottoming resistance for the best ride in every condition.



- > 850 Patriot / 650 Patriot Engine
- > PRO-CC 137 or 129 Rear Suspension
- > 1.25" Ice Ripper XT / 1.35" Cobra / 1.5" Storm 150 Track
- > WER® Velocity IFS Shocks, 2" C/A FTS and Velocity Rear Track Shock
- > Matryx Platform









INDY XC 137 LAUNCH EDITION

THE TRAIL PERFORMANCE BENCHMARK

- > 850 Patriot / 650 Patriot Engine
- > PRO-CC 137 Rear Suspension
- > WER® FORCE IFS and FTS, Velocity Rear Track Shock
- > 1.25" Ice Ripper XT / 1.35" Cobra / 1.5" Storm 150 Track
- > Matryx Platform

AVAILABLE COLORS INDY XC 137 NNNN

THE LEADER IN VERSATILITY AND PERFORMANCE

- > 850 Patriot / 600 Cleanfire Engine
- > PRO-CC 137 Rear Suspension
- > WER® C/A Needle IFS Shocks, Velocity Needle Rear Track Shock
- > 1.25" Ice Ripper XT / 1.35" Cobra / 1.5" Storm 150 Track



600 INDY SP 137

THE BEST VALUE IN TRAIL PERFORMANCE

- > 600 Cleanfire Engine
- > PRO-CC 137 Rear Suspension
- > Polaris IFP Shocks
- > 1.25" Ripsaw II Track

WHAT MAKES AN ADVENTURE

PLAN YOUR DAY AROUND BEING LOST IN THE MOMENT

By placing the rider in the right location on the sled, we've built a sled that corners flat without sacrificing the fun factor.

The INDY Adventure 137 combines the performance attributes of an INDY XC with seat options, confidence-inspiring skis, and integrated storage options that is every bit as capable riding solo - or two-up.

When developing the AXYS platform, our engineers minimized weight throughout the sled without compromising strength. Combine that with powerful engines and you've got class-leading power-to-weight.



INDY ADVENTURE 137

EXPLORE WHAT'S AROUND THE NEXT CORNER

> 850 Patriot / 600 Cleanfire Engine

2021 600 INDY SP 1

> PRO-CC 137 Rear Suspension

2021 850 INDY XC 137

- > WER® C/A Needle IFS Shocks, Velocity Needle Rear Track Shock
- > 1.25" Ice Ripper XT / 1.35" Cobra / 1.5" Storm 150 Track
- > Standard Heavy-Duty Front Bumper, Storage & Mirrors



INDY XC 129 LAUNCH EDITION

THE TRAIL PERFORMANCE BENCHMARK

- > 850 Patriot / 650 Patriot Engine
- > PRO-CC 129 Rear Suspension
- > WER® FORCE IFS and FTS, Velocity Rear Track Shock
- > 1.25" Ice Ripper XT / 1.35" Cobra / 1.5" Storm 150 Track
- > Matryx Platform

INDY









INDY XCR RACE-PROVEN STRENGTH & DURABILITY



INDY XC 129 THE TRAIL PERFORMANCE STANDARD FOR 40 YEARS

- > 850 Patriot / 600 Cleanfire Engine
- > PRO-CC 129 Rear Suspension
- > WER® C/A Needle IFS Shocks, Velocity Needle Rear Track Shock
- > 1.25" Ice Ripper XT / 1.35" Cobra / 1.5" Storm 150 Track







INDY LXT

SHARE THE LEGENDARY INDY RIDE

- > PRO-RIDE Chassis
- > 550 Fan-Cooled Engine
- > Cargo Rack
- > 2-up Seat and Backrest
- > Electric Start
- > Tall Windshield and Mirrors
- > Available in Ghost Gray or Silver





THE LODGE



2-UP COMFORT AND VERSATILITY

- > PRO-RIDE Chassis
- > 550 Fan-Cooled Engine
- > 144 x 1.35" / 155 x 1.6" Cobra Track
- > Lock & Ride Convertible Passenger Seat & Cargo System
- > Electric Start
- > Tall Windshield and Mirrors



2021 **550 INDY ADVENTURE 144**

WHAT MAKES AN ADVENTURE

PLAN YOUR DAY AROUND BEING LOST IN THE MOMENT

EVERYTHING YOU NEED

The INDY Adventure 144 and 155 are the best sled for riders that need a do-it-all snowmobile for versatility at a great value. It rides well on- and off-trail, solo or with a passenger, and with or without storage.

LEGENDARY PERFORMANCE

For over forty years, the INDY name has stood for performance across its broad lineup of trail sleds.

PROVEN VALUE

The INDY Adventure sleds are purpose-built as a do-it-all snowmobiles and are designed to deliver confidence that makes your day on the snow the best it can be.



2021 **550 INDY ADVENTURE 155**



WORLD'S BEST MOUNTAIN SLED

The Polaris RMK is the lightest, strongest and most flickable family of snowmobiles on the planet. Every model intuitively elevates the riding experience, to take you higher, further and deeper into the backcountry than ever before. For 2021, we're elevating two critical elements of the proven RMK formula - Lift and Response. The result is a lineup of PRO RMK and Khaos models that leads the pack for 2021.

WE MADE IT SO YOU CAN

LIVE IT.

POLARIS





ARIS.COM

PRO RMK THE WORLD'S BEST MOUNTAIN SLED



PRO RMK NN N

- > 850 Patriot / 600 Cleanfire Engines
- > PRO RMK React Adjustable Front Suspension (36-38")
- > 850: 2.6" Series 6 / 2.75" Series 8 / 3.0" Series 7 Tracks
- > 850: WER® Light or WER® C/A Shocks
- > 600: WER® Light or WER® C/A Shocks / 2.6" Series 6 Track
- > NEW FOR '21: Low elevation clutching option for below 3,000ft

AVAILABLE COLORS

> QuickDrive2 (QD2) Low Inertia Drive System / Available with 2.75" and 3" Track at SnowCheck



INSTANTANEOUS LIFT RIDER BALANCED CONTROL **IMMEDIATE RESPONSE**






2021 SNOWCHECK EXCLUSIVE RMK OPTIONS:




QUICKDRIVE 2 (QD2)

A new low inertia, lightweight drive system with lower gearing for quicker response and instantaneous acceleration. Combine with the Series 8 track for a 5lb weight reduction.



SERIES 8 2.75" TRACK

A new 2.75" lug by 3.5" pitch track in 155 and 165" lengths, delivers optimized flex and stiffness.



> 155" SnowCheck Tracks: 2.75" Series 8 Track with QuickDrive2 3.0" Series 7 Track with QuickDrive2

- > 163" SnowCheck Tracks: 3.0" Series 7 Track with QuickDrive2
- > 165" SnowCheck Tracks: 2.75" Series 8 Track with QuickDrive2
- > 174" SnowCheck Track: 3.0" Series 7 Track with QuickDrive2



Choose your sled. Choose your color. Choose your factory-installed options. Over 100,000 options to make it yours.





RMKKHAOS AGILE AND ULTRA RESPONSIVE ON ALL-MOUNTAIN TERRAIN

WHAT MAKES A KHAOS

THE EASIEST SLED TO CARVE WITH. EVER.

ALL-MOUNTAIN ARCHITECTURE

Designed to provide transfer and traction for light handling and control plus the best response in all riding zones.

RIDER BALANCED CONTROL

The AXYS platform features Rider Balanced positioning that delivers ultimate control for the rider for effortless riding response.

IMMEDIATE RESPONSE

The most agile all-mountain sled comes standard with Walker Evans® Velocity Shocks for the best of the best in various mountain conditions. Plus, the light and rigid design of the Khaos rear suspension enhances weight transfer for a lighter feel and more playful attitude.

2021 **850 RMK KHAOS 155**



- >850 Patriot Engine
- > 2.6" Series 6 / 2.75" Series 8 / 3.0" Series 7 Tracks
- > WER® Velocity Hi-Lo Shocks
- React Adjustable Front Suspension (36-38")
- > QuickDrive2 (QD2) Low Inertia Drive System / Available with 2.6", 2.75" or 3" Track at SnowCheck




850 RMK KHAOS SNOWCHECK QUICKDRIVE 2 TRACK OPTIONS

- > 155" SnowCheck Tracks: 2.75" Series 8 Track with QuickDrive2 3.0" Series 7 Track with QuickDrive2
- > 163" SnowCheck Tracks: 3.0" Series 7 Track with QuickDrive2





UNFIVALED AGILITY







THE RESIDENCE OF THE PARTY OF T

> 165" SnowCheck Tracks:

2.75" Series 8 Track with QuickDrive







RMK EVO

- > Compact Ergonomics
- > Easy Steering
- > Confident Stable Ride
- > 50 MPH Top Speed
- > RMK EVO Front Suspension & Gripper Skis

EVOLVED FOR NEW RIDERS

> Electric Start









THE ULTIMATE CROSSOVER FAMILY

Switchback delivers an unprecedented combination of all-terrain versatility, rider-balanced control and quick acceleration both on-trail and off. Only Switchback combines the legendary trail performance of INDY and the ultimate deep snow capability of RMK into the world's most versatile crossover snowmobile. Choose from the big-bump performance of the race-inspired Switchback XCR, the rider-balanced control and all-day comfort of the Switchback Assault 144 on the Axys platform, or the ultimate 50/50 crossover of the Switchback Assault 146 featuring the advanced rider dynamics of Matryx.

WE MADE IT SO YOU CAN

LIVE IT.

POLARIS

SWITCHBACK ASSAULT 146

THE ULTIMATE 50/50 CROSSOVER

SWITCHBACK ASSAULT 144 THE ULTIMATE BACKCOUNTRY CROSSOVER



SWITCHBACK XCR RACE-READY STRENGTH & DURABILITY



SWITCHBACK PRO-S FAST AND SMOOTH ON EVERY TRAIL





ğranığ

SWITCHBACK ASSAULT 146 THE ULTIMATE 50/50 CROSSOVER

The ultimate 50/50 Crossover snowmobile delivers pure dominance on-trail and off. Built upon the all-new rider-first Matryx platform, experience complete control with breakthrough rider dynamics. The all new rider-first, snocross-inspired cockpit has been proven on the track to reduce effort and improve rider connection.

This sled is designed to deliver ferocious acceleration and class-leading power to weight ratio by virtue of a light, rigid aluminum and carbon fiber chassis. Nestled inside is your choice of a 650 or 850 Patriot Engine. The Switchback Assault 146 combines ferocious acceleration and effortless control for the best handling 50/50 crossover sled ever built - both on and off the trail.



FEROCIOUS ACCELERATION **EFFORTLESS CONTROL** INTELLIGENT TECHNOLOGY



PLATFORM RIDER FIRST DESIGN

HANDLING BORN FROM RACE, PERFECTED FOR THE TRAIL

Our narrowest rider cockpit on the market enables active rider dynamics. The all new seat, tank, and sculpted body panels are developed by riders for a seamless and effortless rider active

Improved leg and lower body comfort and protection. Enhanced windshield design for hand protection and less wind buffeting. Updated geometry for improved aerodynamics.

Sleek, purposeful form. Nothing is wasted. Every part has a function. Every detail obsessively perfected.

RIDE COMMAND 7S DISPLAY

Designed with integrated Ride Command, the 7S Display brings a whole new level of intuitive, touch-screen control and customization with the largest and most sophisticated Display yet.



- Ride Command Trail Maps
- **Group Ride Tracking**
- Four Customizable Screens



WHAT MAKES AN ASSAULT

THE ULTIMATE BACKCOUNTRY CROSSOVER

corners flat without sacrificing the fun factor of lifting the front end through the bumps or powder. More precise handling both on- and off-trail.

UNRIVALED ACCELERATION

sled without compromising strength. Combined with powerful engines and class-leading power-to-weight ratios, the Switchback Assault gives you the best go-anywhere versatility.

With ergonomic controls, integrated storage, enhanced wind protection, and industry-first LED headlights and display packages, comfort is woven directly into the design of the Switchback Assault - AXYS or Matryx platform.



IGX REAR

The IGX rear suspension provides RMK-inspired off-trail agility and balance with outstanding on-trail ride performance. Pitch is controlled through geometry.



POWDERTRAC BOARDS

Designed to serve the needs of riders on- & offtrail where the front is wide and flat for comfort and stability, while the rear has tapered, dual-angle design for mobility and

snow clearance.





RIDER BALANCED CONTROL

By placing the rider in the right location on the sled, we've built a sled that

When developing the Assault, our engineers minimized weight throughout the

RIDER-CENTRIC COMFORT



TECHNOLOGY

Polaris offers industryleading display packages including full color, LCD digital displays that connects with select features of Polaris Ride Command, including GPS and Trail Maps. Also available is the LCD digital Polaris MessageCenter Display.







SWITCHBACK PRO-S FAST AND SMOOTH ON EVERY TRAIL



SWITCHBACK PRO-S

- > 850 Patriot / 600 Cleanfire Engines
- > PRO-XC Rear Suspension
- > 1.25" Ice Ripper XT / 1.35" Cobra / 1.5" Storm 150 Track
- > WER® C/A Needle or WER® C/A Needle Hi-Lo Shocks

> Race-Proven Independent Front Suspension

2021 850 SWITCHBACK PRO-S



SWITCHBACK XCR RACE-READY STRENGTH & DURABILITY



- > 1.25" Ice Ripper XT / 1.35" Cobra / 1.75" Backcountry Track
- > WER® C/A Needle Hi-Lo Shocks
- > Race-Proven Brake System







WORLD'S MOST CAPABLE EXTREME CROSSOVER



WORLD'S MOST CAPABLE CROSSOVER

Experience TITAN, the industry's most capable extreme crossover snowmobile. Have unrivaled confidence in the backcountry, working hard, or riding a familiar trail. Forge ahead, at work or play, with the first extreme crossover sled that puts an end to compromise.

WE MADE IT SO YOU CAN

LIVE IT.

POLARIS

TITAN **WORLD'S MOST CAPABLE CROSSOVER**



TITAN ADVENTURE 155

THE ULTIMATE ADVENTURE FOR TWO

- > 800 H.O. Cleanfire Engine
- > TITAN Articulated Rear Suspension
- > 20" x 155" x 1.5" or 1.8" Cobra Track
- > FOX® QS3 Shocks
- > PRO-Float or Gripper Skis
- > Lock & Ride Versa Touring Passenger Seat
- > Lock & Ride Versa Cargo Box and Rack
- > Polaris Interactive Digital Display
- > Electric Start







TITAN: THE DO-EVERYTHING CROSSOVER







The TITAN Adventure 155 is fully featured and a true do-it-all sled. It comes with a Lock & Ride Versa Touring Passenger Seat with heated passenger grips and footrests, cargo rack, cargo box, tow hitch, mirrors, Polaris Interactive Digital Display, premium shocks, and multiple windshield options that provide outstanding rider protection. If that's not enough, make it yours with a full selection of Polaris Engineered Accessories to outfit your TITAN for exactly your activities and needs.

TITAN RAISES THE BAR IN QUIET OPERATION, WITH NEW TRACKS AND DRIVE SYSTEM FOR REDUCED NOISE AND VIBRATION.





DO IT ALL EXTREME CROSSOVER

- > 800 H.O. Cleanfire Engine
- > TITAN Articulated Rear Suspension

TITAN SP 155

- > 20" x 155" x 1.8" Cobra Track
- > Polaris IFP Shocks
- > PRO-Float Skis
- > MessageCenter Gauge
- > Electric Start

WHAT MAKES A TITAN

THE MOST VERSATILE, DO-IT-ALL EXTREME CROSSOVER

RIDER BALANCED CONTROL

The AXYS chassis positions the rider for optimum control in all riding situations and delivers unmatched handling in even the world's most extreme terrain and

DEEP SNOW AGILITY

The TITAN delivers impressive flotation and agility. Featuring an articulated rear suspension design that requires no adjustments to go from 2-up to towing large loads and allows you to easily backup over obstacles.

UNMATCHED VERSATILITY

The TITAN is equipped with rider-centric innovations to dominate the most extreme conditions including superior cargo carrying and towing capabilities along with storage solutions. The Power Boosting Regulator delivers maximum electrical power at idle and low RPMs for comfort and convenience.



TRANSMISSION

Provides smooth shifting and drive ranges to suit even the most extreme conditions or situations. 1200 lb. towing capabilities 85 lb. (38.5 kg.) carrying with High, Low, Reverse, and Neutral.



LOCK & RIDE


Integrated design allows for maximum storage, with or without passenger seat. Industry-leading capacity and integrated Lock & Ride mounting system holds cargo box and other storage

accessories.



POWER BOOSTING REGULATOR

This industry-first delivers maximum electrical power at idle and low RPMs. Ensures electrical power for rider comfort and convenience features, such as accessory heated seats, hand-warmers, battery charging and other accessories.





AVAILABLE COLORS

- > 800 H.O. Cleanfire Engine
- > TITAN Articulated Rear Suspension
- > 20" x 155" x 1.5" or 1.8" Cobra Track
- > FOX® QS3 Shocks
- > Gripper or PRO-Float Skis
- > PIDD or MessageCenter Gauge
- > Electric Start











LIMITLESS POSSIBILITIES

Breaking new trails, hauling gear, delivering supplies, going to lunch, joyriding - count on Voyageur to get you there, and then some. The Voyageur is for riders that primarily ride off-trail and use their sleds for both utility and fun. Available with the 550 Fan and 600 Cleanfire Engines.

WE MADE IT SO YOU CAN

LIVE IT.







WHAT MAKES A VOYAGEUR

LIMITLESS POSSIBILITIES FOR RECREATIONAL UTILITY RIDERS

ULTIMATE FLOTATION

The Voyageur family is built to deliver performance wherever your snowmobiling day takes you. From accessing the powerline to checking the trap line, aggressive tracks and tough, wide PRO-Float skis keep you on top of the snow.

UNMATCHED HAULING

With its hitch, rear rack, and Polaris rear suspension technology, the capable Voyageur maintains control and precision whether under load on-trail or in the deep snow.

PROVEN HANDLING

With the perfect blend of RMK DNA and Polaris suspension technology, the Voyageur delivers outstanding off-trail performance with confident trail handling at any speed.



600 VOYAGEUR 144

AGILE, POWERFUL, ALL-PURPOSE SPORT-UTILITY

- > 600 Cleanfire Engine
- > IGX 144 Rear Suspension
- > 15" x 144" x 2.0" Series 4 Track
- > Polaris IFP Shocks
- > Cargo Rack and Receiver Hitch
- > Electric Start



550 VOYAGEUR 155

PERFECT MIX OF WORK & FUN

- > 550 Fan-Cooled Engine
- > Articulated Rear Suspension
- > 15" x 155" x 1.6" Cobra Track
- > New: Polaris IFP Shocks
- > PRO-Float Skis
- > Cargo Rack and Hinged Hitch
- > Electric Start

550 VOYAGEUR 144

VERSATILE, DO-IT-ALL SNOWMOBILE

- > 550 Fan-Cooled Engine
- > Coil-Over Rear Suspension
- > 15" x 144" x 1.35" Cobra Track
- > Cargo Rack and Receiver Hitch
- > Electric Start







S	
	850/650 INDY VR1 137

11.5 / 43.5

46/116.8

47/119.4

42.5/108

476 / 216

120/305

Liquid Cooled

Matryx Stealth

Chaincase

P-85/TEAM®LWT

Matryx Front Suspension

PRO-CC

WER® Velocity

PRO-STEER

1.25 Ice Ripper/1.35 Cobra/1.5 Storm 150

Various SnowCheck Exclusive Options

Option

Polaris 7S Digital Display

11.5 / 43.5

46/116.8

47/119.4

42.5/108

467/212

117/297

Liquid Cooled

Matrvx Stealth

Chaincase

P-85/TEAM®LWT

Matryx Front Suspension

PRO-CC

WER® Velocity

PRO-STEER

1.25 Ice Ripper/1.35 Cobra/1.5 Storm 150



11.5 / 43.5

46/116.8

47/119.4

42.5/108

474 / 215

120/305

Liquid Cooled

Matryx Stealth

Chaincase

P-85/TEAM® LWT

Matryx Front Suspension

PRO-CC

WER® FORCE / WER® Velocity

PRO-STEER

1.25 Ice Ripper/1.35 Cobra/1.5 Storm 150

Various In Season Options

Option

MessageCenter

SmartWarmers, Standard Underseat Storage



12/45.4

46/116.8

47/119.4

42.5 / 108

850: 469 / 213 600: 462 / 211

120/305

Liquid Cooled

AXYS Radial

Chaincase

P-85/TEAM®LWT

AXYS Front Suspension

PRO-CC

WER® C/A / WER® Velocity Needle

PRO-STEER

1.25 Ice Ripper/1.35 Cobra/1.5 Storm 150

Various In Season Options

Option

PIDD or MessageCenter

Standard Underseat

Storage



850/600 INDY ADVENTURE 137

12/45.4

46/116.8

47/119.4

42.5 / 108

850: 478 / 217 600: 471 / 214

120/305

Liquid Cooled

AXYS Radial

Chaincase

P-85/TEAM®LWT

AXYS Front Suspension

PRO-CC

WER® C/A / WER® Velocity Needle

PRO-STEER

1.25 Ice Ripper/1.35 Cobra/1.5 Storm 150

Various In Season Options

Option PIDD or MessageCenter

Standard Underseat & Overnight Storage,

Mirrors, Heavy-Duty Front Bumper

12/45.4

46/116.8

47/119.4

42.5 / 108

850: 475 / 215 600: 468 / 212

117/297

Liquid Cooled

AXYS Race Radial

Chaincase

P-85/TEAM®LWT

AXYS Front Suspension

PRO-CC

WER® 2" Velocity Hi-Lo

PRO-STEER

1.25 Ice Ripper/ 1.35 Cobra/ 1.75 Backcountry

Polaris Blue, Black, INDY Red

Option

PIDD or MessageCenter

Race-Ready Suspension and Brakes





12/45.4

46/116.8













550 INDY LXT	۰
11.5 / 43.5	
54/137	
48 / 122	
42.5/108	
467 / 212	
124/315	1
Fan Cooled	١
RMK Hydraulic	

	MODEL NAME
	Fuel Capacity (gallons/liters)
NS	Overall Height (in./cm.)
JIMENSIONS	Overall Width (in./cm.)
MEN	Ski Center Distance (in./cm.)
OIN	Estimated Dry Weight (lhs./kg

MODEL NAME

2021MODE SPEC

Overall Length (in./cm.)

Engine Type/Cooling

Disc Brake Type

Drive System Type

Drive/Driven Clutch

Front Suspension

Rear Suspension

Shock Package

Electric Start

MODEL NAME

Fuel Capacity (gallons/liters)

Ski Center Distance (in./cm.)

Estimated Dry Weight (lbs./kg.)

Track Width/Length/Height (in.)

Overall Height (in./cm.)

Overall Width (in./cm.)

Overall Length (in./cm.)

Engine Type/Cooling

Drive System Type

Drive/Driven Clutch

Front Suspension

Rear Suspension

Shock Package

Ski Type

Disc Brake Type

Gauge

Track Width/Length/Height (in.)

Ski Type

aht (lbs./ka.)

IIO	
ENGINE B DRIVETRAIN	
7	









11.5 / 43.5

46/116.8

47/119.4

42.5/108

465/211

117/297

Liquid Cooled

Matrvx Stealth

Chaincase

P-85/TEAM®LWT

Matryx Front Suspension

PRO-CC

WER® FORCE / WER® Velocity

PRO-STEER

1.25 Ice Ripper/1.35 Cobra/1.5 Storm 150



12/45.4

46/116.8

47/119.4

42.5 / 108

850: 460 / 209 600: 454 / 206

117/297

Liquid Cooled

AXYS Radial

Chaincase

P-85/TEAM®LWT

AXYS Front Suspension

PRO-CC

WER® C/A / WER® Velocity Needle

PRO-STEER

1.25 Ice Ripper/1.35 Cobra/1.5 Storm 150

Various In Season Options

Option

PIDD or MessageCenter

Standard Underseat

Storage



















11.5 / 43.5

54/137

48/122

42.5 / 108

498 / 226

124/315

Fan Cooled

RMK Hydraulic

Chaincase

CVTech PowerBloc50 / Invance

RMK Adjustable

INDY Articulated

RydeFX® MPV

PRO-FLOAT

15 x 144 x 1.35 Cobra

Bronze

Standard

MessageCenter

Lock & Ride

Convertible Pass. Seat

& Cargo System, Mirrors

MessageCenter



MessageCenter



11.5 / 43.5

56 / 142

48 / 122

478.5 / 217

132.25 / 335.9

Fan Cooled

RMK Hydraulic

Chaincase

CVTech PowerBloc50 / Invance

RMK Adjustable

INDY Articulated

RydeFX® MPV

PRO-FLOAT

15 x 155 x 1.6 Cobra

Titanium

Standard

MessageCenter

Rack, Hitch

MessageCenter



11.5 / 43.5

54/137

46.5/118

465 / 211

131.8 / 332.2

Fan Cooled

RMK Hydraulic

Chaincase

RMK Adjustable

INDY

RydeFX® MPV

Gripper

15 x 144 x 1.35 Cobra

Titanium

Standard

MessageCenter

Rack, Hitch

CVTech PowerBloc50 / Ir

39 - 40 - 41 / 99.1 - 101.6

N/A

Tether



T-4-4	000 PRO RIVIN 133	
	11.5 / 43.5	
	49.125 / 124.7	
	43.5 / 110.5	
	36-37-38/91.4-93.9-96.5	
··········	414 / 188	
•	131 / 332.75	
	Liquid Cooled	
	AXYS RMK LWT	
	NuickDrive	
nvance	P-85/TEAM®LWT	
	AXYS RMK React	
•••••••	AXYS RMK	
· · · · · · · · · · · · · · · · · · ·	WEDRIJOH OF WEDRICA	
···········	Grinner	

15 x 155 x 2.6 Series 6

Various In Season Options

Option

PIDD or MessageCenter






	Color	Various SnowCheck Exclusive Options	Various In Season Options
ഗ	Electric Start	Option	Option
URE	Gauge	Polaris 7S Digital Display	MessageCenter
FEAT	Special Features	SmartWarmers, Standard Underseat Storage	SmartWarmers, Standard Underseat Stora





Fuel Capacity (gallons/liters)


Overall Height (in./cm.)











Overall Width (in./cm.)	47/119.4	47 / 119.4	48 / 122	48 / 122	44/111	34 / 86	48 / 122
Ski Center Distance (in./cm.)	42.5 / 108	42.5 / 108	42.5 / 108	42.5/108	39/99	30/76	42.5/108
Estimated Dry Weight (lbs./kg.)	481/218	473 / 215	445 / 202	452/205	432/196	147 / 66	467/212
Overall Length (in./cm.)	120/305	117/297	114/289	124/315	114/289	75 / 190	124/315
Engine Type/Cooling	Liquid Cooled	Liquid Cooled	Fan Cooled	Fan Cooled	Fan Cooled	Fan Cooled	Fan Cooled
Disc Brake Type	AXYS Radial	AXYS Radial	RMK Hydraulic	RMK Hydraulic	RMK Hydraulic	Mechanical Drum	RMK Hydraulic
Drive System Type	Chaincase	Chaincase	Chaincase	Chaincase	Chaincase	Chaincase	Chaincase
Drive/Driven Clutch	P-85/TEAM® LWT	P-85/TEAM®LWT	CVTech PowerBloc50 / Invance	CVTech PowerBloc50 / Invance	CVTech PowerBloc50 / Invance	P-40	CVTech PowerBloc50 / Invan
Front Suspension	AXYS Front Suspension	AXYS Front Suspension	PRO-RIDE	PRO-RIDE	INDY EVO	IFS	PRO-RIDE
Rear Suspension	PRO-CC	PRO-CC	INDY	INDY	INDY	Mini INDY	INDY
Shock Package	Polaris IFP	Polaris IFP	RydeFX® MPV	RydeFX® MPV	RydeFX® MPV	Steel Monotube	RydeFX® MPV
Ski Type	PRO-STEER	PRO-STEER	PRO-STEER	PRO-STEER	INDY EVO	Composite	PRO-STEER
Track Width/Length/Height (in.)	15 x 137 x 1.25 Ripsaw II	15 x 129 x 1.25 Ripsaw II	15 x 121 x .91 Shockwave	15 x 144 x 1.35 Cobra	15 x 121 x .91 Shockwave	10 x 69 x .79 Tri-Star	15 x 144 x 1.0 Energy
Color	White Lightning	White Lightning	Gray	Gray	INDY Red	White	Gray
Electric Start	Standard	Standard	Standard	Standard	Standard	N/A	Standard

Polaris reserves the right to change
at any time without incurring oblic



Fuel Capacity (gallons/liters)

Ski Center Distance (in./cm.)

Estimated Dry Weight (lbs./kg.)

Track Width/Length/Height (in.)

Overall Height (in./cm.)

Overall Width (in./cm.)

Overall Length (in./cm.)

Engine Type/Cooling

Drive System Type

Drive/Driven Clutch

Front Suspension

Rear Suspension

Shock Package

Electric Start

Special Features

Ski Type

Color

Disc Brake Type

Special Features

EEU INDVI VI	

11.5 / 43.5

54/137

48 / 122

42.5/108

467/212

124/315

Fan Cooled

RMK Hydraulic

Chaincase

CVTech PowerBloc50 / Invance

PRO-RIDE

INDY

RydeFX® MPV

Gripper

15 x 144 x 1.35 Cobra

Silver

Standard

MessageCenter

Cargo Rack, 2-Up Seat

and Backrest, Mirrors

MessageCenter

Standard Underseat

Storage



11.5 / 43.5

56 / 142

48 / 122

39/99.1

524/238

132.25 / 335.9

Fan Cooled

RMK Hydraulic

Chaincase

CVTech PowerBloc50 / Invance

RMK Adjustable

INDY Articulated

Polaris IFP

PRO-FLOAT

15 x 155 x 1.6 Cobra

Sunset Red

Standard

MessageCenter

Lock & Ride®

Convertible Pass. Seat

& Cargo System, Mirrors

MessageCenter

Standard Underseat

Storage





12 / 45.4

54.5 / 138.5

45 / 114.3

486 / 220

127/322.6

Liquid Cooled

AXYS Radial

Chaincase

P-85/TEAM®LWT

RMK Adjustable

IGX 144

Polaris IFP

Gripper

15 x 144 x 2.0 Series 4

White Lightning

Standard

MessageCenter

Rack, Hitch

39-40-41/99.1-101.6-104.1 39-40-41/99.1-101.6-104.1





600 PRO RMK 155				
11.5 / 43.5		_	_	
UO 10F /10U 7				
49.125 / 124.7				

































	01 200																
	MODEL NAME	850 PRO RMK 174	850 PRO RMK 163	850 PRO RMK 163 / 3"	850 PRO RMK 163 / 3" CC	850 PRO RMK 165 / 2.75"	850 PRO RMK 155	850 PRO RMK 155 / 2.75"	850 PRO RMK 155 / 3"		MODEL NAME	600 RMK 144	RMK EVO	850 SKS 155	850 SKS 146	850/650 SWITCHBACK ASSAULT 146	850/600 SWITCHBACK ASSAULT 144
	Fuel Capacity (gallons/liters)	11.5 / 43.5	11.5 / 43.5	11.5 / 43.5	11.5/43.5	11.5 / 43.5	11.5 / 43.5	11.5 / 43.5	11.5 / 43.5		Fuel Capacity (gallons/liters)	12 / 45.4	10 / 37.8	11.5 / 43.5	11.5 / 43.5	11.5 / 43.5	12/45.4
SN	Overall Height (in./cm.)	49.125 / 124.7	49.125 / 124.7	49.125 / 124.7	49.125 / 124.7	49.125 / 124.7	49.125 / 124.7	49.125 / 124.7	49.125 / 124.7	SS	Overall Height (in./cm.)	46 / 117	43 / 109.2	49.125 / 124.7	51 / 129.5	54.5 / 138.4	54.5 / 138.4
SIO	Overall Width (in./cm.)	43.5 / 110.5	43.5/110.5	43.5 / 110.5	43.5 / 110.5	43.5 / 110.5	43.5 / 110.5	43.5 / 110.5	43.5 / 110.5	DIS	Overall Width (in./cm.)	46.5 / 118.1	46/116.8	46.5/118.1	46.5 / 118.1	47 / 119.4	47 / 119.4
MEN	Ski Center Distance (in./cm.)	36-37-38 / 91.4-93.9-96.5	36-37-38/91.4-93.9-96.5	36-37-38/91.4-93.9-96.5	36-37-38 / 91.4-93.9-96.5	36-37-38 / 91.4-93.9-96.5	36-37-38/91.4-93.9-96.5	36-37-38 / 91.4-93.9-96.5	36-37-38 / 91.4-93.9-96.5		Ski Center Distance (in./cm.)	39-40-41/99.1-101.6-104.1	39 / 99	39-40-41/99.1-101.6-104.1	39-40-41/99.1-101.6-104.1	42.5 / 108	42.5/108
II	Estimated Dry Weight (lbs./kg.)	441/200	420 / 191	420 / 191	428 / 194	415 / 188	415 / 188	410/186	415 / 188		Estimated Dry Weight (lbs./kg.)	480 / 217.7	444/201.4	452 / 205	475 / 215	476 / 216	850: 468 / 212 600: 456 / 207
	Overall Length (in./cm.)	142/360.6	134.4 / 341.4	134.4 / 341.4	134.4/341.4	134.4 / 341.4	131 / 332.75	131 / 332.75	131 / 332.75		Overall Length (in./cm.)	125 / 317.5	124/315	131 / 332.75	125 / 317.5	125 / 317.5	125 / 317.5
B N	Engine Type/Cooling	Liquid Cooled	Liquid Cooled	Liquid Cooled	Liquid Cooled	Liquid Cooled	Liquid Cooled	Liquid Cooled	Liquid Cooled	B	Engine Type/Cooling	Liquid Cooled	Fan Cooled	Liquid Cooled	Liquid Cooled	Liquid Cooled	Liquid Cooled
TRA	Disc Brake Type	AXYS RMK LWT	AXYS RMK LWT	AXYS RMK LWT	AXYS RMK LWT	AXYS RMK LWT	AXYS RMK LWT	AXYS RMK LWT	AXYS RMK LWT		Disc Brake Type	AXYS® Radial	RMK Hydraulic	AXYS RMK LWT	AXYS Radial	Matryx Stealth	AXYS Radial
NGI IVE	Drive System Type	QuickDrive	QuickDrive	QuickDrive 2	Chaincase	QuickDrive 2	QuickDrive	QuickDrive 2	QuickDrive 2	NG]	Drive System Type	Chaincase	Chaincase	Chaincase	Chaincase	Chaincase	Chaincase
96 7	Drive/Driven Clutch	P-85/TEAM®LWT	P-85/TEAM®LWT	P-85/TEAM®LWT	P-85/TEAM® LWT	P-85/TEAM®LWT	P-85/TEAM®LWT	P-85/TEAM® LWT	P-85/TEAM®LWT	960	Drive/Driven Clutch	P-85/TEAM®LWT	CVTech PowerBloc50 / Invance	P-85/TEAM®LWT	P-85/TEAM®LWT	P-85/TEAM® LWT	P-85/TEAM® LWT
	Front Suspension	AXYS RMK React	AXYS RMK React	AXYS RMK React	AXYS RMK React	AXYS RMK React	AXYS RMK React	AXYS RMK React	AXYS RMK React	Z	Front Suspension	RMK Adjustable	RMK EVO	AXYS RMK Adjustable	AXYS RMK Adjustable	Matryx Front Suspension	AXYS Front Suspension
SIO	Rear Suspension	AXYS RMK	AXYS RMK	AXYS RMK	AXYS RMK	AXYS RMK	AXYS RMK	AXYS RMK	AXYS RMK		Rear Suspension	IGX 144	INDY	AXYS RMK	IGX 146	IGX 146	IGX 144
OEN	Shock Package	WER® Light or WER® C/A	WER® Light or WER® C/A	WER® Light or WER® C/A	WER® Light or WER® C/A	WER® Light or WER® C/A	WER® Light or WER® C/A	WER® Light or WER® C/A	WER® Light or WER® C/A	 N	Shock Package	Polaris IFP	RydeFX® MPV	WER® C/A Needle / WER® CA	WER® C/A Needle / WER® CA	WER® 2" Velocity / WER® Velocity	WER® C/A Needle / WER® C/A
ensi	Ski Type	Gripper	Gripper	Gripper	Gripper	Gripper	Gripper	Gripper	Gripper		Ski Type	Gripper	Gripper	Gripper	Gripper	PRO-STEER	PRO-STEER
	Track Width/Length/Height (in.)	15 x 174 x 3.0 Series 7	15 x 163 x 2.6 Series 6	15 x 163 x 3.0 Series 7	15 x 163 x 3.0 Series 7	15 x 165 x 2.75 Series 8	15 x 155 x 2.6 Series 6	15 x 155 x 2.75 Series 8	15 x 155 x 3.0 Series 7		Track Width/Length/Height (in.)	15 x 144 x 2.0 Series 4	15 x 144 x 1.75 Backcountry	2.25 Peak / 2.4 / 2.6 Series 6	2.25 Series 5.2	1.35 Cobra/1.5 Ice Storm/1.6 Cobra/ 2.0 Crossover	1.35 Cobra/1.6 Cobra/2 Series 4
	Color	Various In Season Options	Various In Season Options	Various In Season Options	Various In Season Options	Various In Season Options	Various In Season Options	Various In Season Options	Various In Season Options		Color	White Lightning	White Lightning	Various In Season Options	Various In Season Options	Various SnowCheck Exclusive Options	Various In Season Options
S	Electric Start	Option	Option	Option	Option	Option	Option	Option	Option	<u>9</u>	Electric Start	Standard	Standard	Option	Option	Option	Option
URE	Gauge	PIDD or MessageCenter	PIDD or MessageCenter	PIDD or MessageCenter	PIDD or MessageCenter	PIDD or MessageCenter	PIDD or MessageCenter	PIDD or MessageCenter	PIDD or MessageCenter		Gauge	MessageCenter	MessageCenter	PIDD or MessageCenter	PIDD or MessageCenter	Polaris 7S Digital Display	PIDD or MessageCenter
FEAT	Special Features	Standard Underseat Storage	PowderTrac XT Running Boards	Standard Underseat Storage, PowderTrac XT Running Boards	PowderTrac XT Running Boards	Standard Underseat Storage, PowderTrac XT Running Boards	PowderTrac XT Running Boards	Standard Underseat Storage, PowderTrac XT Running Boards	Standard Underseat Storage, PowderTrac XT Running Boards	FEAT	Special Features	Standard Underseat Storage			Standard Underseat Storage	SmartWarmers, Standard Underseat Storage	Standard Underseat Storage
			700							For full specs, v	isit Polaris.com				-38.		
















































				OEO DANKINA OCA EE /		DED DIAK KUADO JEE /		850 RMK KHAOS	850 RMK KHAOS		ve data available at time of printing.					DED	
	MODEL NAME	850 PRO RMK 155 / 3" CC	850 RMK KHAOS 155	850 RMK KHAOS 155 / 2.75"	850 RMK KHAOS 155 / 3"	850 RMK KHAOS 155 / 3" CC	850 RMK KHAOS 163	163/3"	165 / 2.75"		MODEL NAME	850/600 SWITCHBACK XCR	850/600 SWITCHBACK PRO-S	800 TITAN ADVENTURE	800 TITAN XC	800 TITAN SP	
	Fuel Capacity (gallons/liters)	11.5 / 43.5	11.5 / 43.5	11.5 / 43.5	11.5/43.5	11.5 / 43.5	11.5 / 43.5	11.5 / 43.5	11.5 / 43.5		Fuel Capacity (gallons/liters)	12 / 45.4	12 / 45.4	14/53	14/53	14/53	
NS	Overall Height (in./cm.)	49.125 / 124.7	49.125 / 124.7	49.125 / 124.7	49.125 / 124.7	49.125 / 124.7	49.125 / 124.7	49.125 / 124.7	49.125/124.7	NS NS	Overall Height (in./cm.)	46/116.8	46 / 116.8	57 / 145	48.5 / 123	54/137	
SIO	Overall Width (in./cm.)	43.5 / 110.5	43.5/110.5	43.5 / 110.5	43.5 / 110.5	43.5/110.5	43.5/110.5	43.5/110.5	43.5 / 110.5	SIO	Overall Width (in./cm.)	47/119.4	47/119.4	48/122	45/114	48 / 122	
MEN	Ski Center Distance (in./cm.)	36-37-38 / 91.4-93.9-96.5	36-37-38 / 91.4-93.9-96.5	36-37-38 / 91.4-93.9-96.5	36-37-38 / 91.4-93.9-96.5	36-37-38 / 91.4-93.9-96.5	36-37-38/91.4-93.9-96.5	36-37-38/91.4-93.9-96.5	36-37-38 / 91.4-93.9-96.5	N N N N N N N N N N N N N N N N N N N	Ski Center Distance (in./cm.)	42.5 / 108	42.5/108	39 - 40 - 41 / 99.1 - 101.6 - 104.1	39 - 40 - 41 / 99.1 - 101.6 - 104.1	39 - 40 - 41 / 99.1 - 101.6 - 104.1	
110	Estimated Dry Weight (lbs./kg.)	428/194	420 / 191	415 / 188	424 / 192	433/196	425 / 193	429 / 195	420 / 190	10	Estimated Dry Weight (lbs./kg.)	850: 472 / 214 600: 460 / 209	850: 452 / 205 600: 447 / 203	658 / 298	605 / 274	602 / 274	
	Overall Length (in./cm.)	131/332.75	131 / 332.75	131/332.75	131 / 332.75	131 / 332.75	131/332.75	131 / 332.75	131/332.75		Overall Length (in./cm.)	121 / 307.4	121 / 307.4	129 / 328	129/328	129 / 328	
u I	Engine Type/Cooling	Liquid Cooled	Liquid Cooled	Liquid Cooled	Liquid Cooled	Liquid Cooled	Liquid Cooled	Liquid Cooled	Liquid Cooled	U.E.	Engine Type/Cooling	Liquid Cooled	Liquid Cooled	Liquid Cooled	Liquid Cooled	Liquid Cooled	
TR A	Disc Brake Type	AXYS RMK LWT	AXYS RMK LWT	AXYS RMK LWT	AXYS RMK LWT	AXYS RMK LWT	AXYS RMK LWT	AXYS RMK LWT	AXYS RMK LWT	NE 3	Disc Brake Type	AXYS Race Radial	AXYS Radial	TITAN Hydraulic	TITAN Hydraulic	TITAN Hydraulic	
NGI	Drive System Type	Chaincase	QuickDrive	QuickDrive 2	QuickDrive 2	Chaincase	QuickDrive	QuickDrive 2	QuickDrive 2	NGI IVE	Drive System Type	Chaincase	Chaincase	H-L-N-R Transmission	H-L-N-R Transmission	H-L-N-R Transmission	
an H	Drive/Driven Clutch	P-85/TEAM® LWT	P-85/TEAM®LWT	P-85/TEAM®LWT	P-85/TEAM® LWT	P-85/TEAM®LWT	P-85/TEAM®LWT	P-85/TEAM®LWT	P-85/TEAM®LWT	B	Drive/Driven Clutch	P-85/TEAM®LWT	P-85/TEAM® LWT	P-85/TEAM® BOSS	P-85/TEAM® BOSS	P-85/TEAM® BOSS	
7	Front Suspension	AXYS RMK React	AXYS RMK React	AXYS RMK React	AXYS RMK React	AXYS RMK React	AXYS RMK React	AXYS RMK React	AXYS RMK React	7	Front Suspension	AXYS Front Suspension	AXYS Front Suspension	AXYS Front Suspension	AXYS Front Suspension	AXYS Front Suspension	
910	Rear Suspension	AXYS RMK	RMK KHAOS	RMK KHAOS	RMK KHAOS	RMK KHAOS	RMK KHAOS	RMK KHAOS	RMK KHAOS	310	Rear Suspension	PRO-XC	PRO-XC	TITAN Articulated	TITAN Articulated	TITAN Articulated	
ENS	Shock Package	WER® Light or WER® C/A	WER® Velocity Hi-Lo	WER® Velocity Hi-Lo	WER® Velocity Hi-Lo	WER® Velocity Hi-Lo	WER® Velocity Hi-Lo	WER® Velocity Hi-Lo	WER® Velocity Hi-Lo		Shock Package	WER® C/A Needle Hi-Lo	WER® C/A Needle or WER® C/A Needle Hi-Lo	FOX® QS3	FOX® QS3	Polaris IFP	
SUSF	Ski Type	Gripper	Gripper	Gripper	Gripper	Gripper	Gripper	Gripper	Gripper		Ski Type	PRO-STEER	PRO-STEER	Gripper or PRO-FLOAT	Gripper or PRO-FLOAT	PRO-FLOAT	
U)	Track Width/Length/Height (in.)	15 x 155 x 3.0 Series 7	15 x 155 x 2.6 Series 6	15 x 155 x 2.75 Series 8	15 x 155 x 3.0 Series 7	15 x 155 x 3.0 Series 7	15 x 163 x 2.6 Series 6	15 x 163 x 3.0 Series 7	15 x 165 x 2.75 Series 8		Track Width/Length/Height (in.)	1.25 Ice Ripper/1.35 Cobra / 1.75 Backcountry	1.25 Ice Ripper / 1.35 Cobra / 1.5 Storm	1.5 or 1.8 Cobra	1.5 or 1.8 Cobra	20 x 155 x 1.8 Cobra	
	Color	Various In Season Options	Polaris Blue, Black	, Matte Sunset Red	Polaris Blue, Black,	Matte Sunset Red	Po	olaris Blue, Black, Matte Sunset R	ed		Color	Polaris Blue, Black, INDY Red	Various In Season Options	Polaris Blue, SnoTraveler, Black	Polaris Blue, SnoTraveler, Black	White Lightning	
S	Electric Start	Option	Option	Option	Option	Option	Option	Option	Option	თ	Electric Start	Option	Option	Standard	Standard	Standard	
H	Gauge	PIDD or MessageCenter	PIDD or MessageCenter	PIDD or MessageCenter	PIDD or MessageCenter	PIDD or MessageCenter	PIDD or MessageCenter	PIDD or MessageCenter	PIDD or MessageCenter	URE	Gauge	PIDD or MessageCenter	PIDD or MessageCenter	PIDD	PIDD or MessageCenter	Digital	
FEAT	Special Features	PowderTrac XT Running Boards		Standard Underseat Storage	Standard Underseat Storage			Standard Underseat Storage	Standard Underseat Storage	FEAT	Special Features	Race-Ready Suspension and Brakes	Standard Underseat Storage	Lock & Ride Versa Touring Pass. Seat & Versa Storage Cargo Box and Rack, Mirrors	Integrated Lock & Ride Versa Storage Platform	Integrated Lock & Ride Versa Storage Platform	





SNEWCHECK

AVAILABLE COLORS

2021 850 PRO RMK 155 / 3"

AVAILABLE COLORS

2021 850 RMK KHAOS 155 / 2.75"

SnowCheck has always been your chance to own a factory-customized sled featuring the shocks, colors and tracks you want, and it still is - but for '21, we're adding exclusive new models. Mountain riders can get RMKs featuring our new QuickDrive2 Drive System and Series 8 Tracks, For crossover and trail riders, SnowCheck is your only opportunity to get the new Switchback Assault 146 or INDY VR1 built on the all-new Matryx platform. Available with the proven 850 Patriot or the new powerful and fuel efficient 650 Patriot engine. Build vours at PolarisSnowmobiles.com

EXCLUSIVE MODELS FOR 2021

850 PRO RMK

SNOWCHECK EXCLUSIVE MODELS:

- > PRO RMK 155 / 2.75" Series 8 with QuickDrive2
- > PRO RMK 155 / 3" Series 7 with QuickDrive2
- > PRO RMK 163 / 3" Series 7 with AuickArive2
- > PRO RMK 165 / 2.75" Series 8 with QuickDrive2
- PRO RMK 174 / 3" Series 7 with OuickDrive2








- > 2.75" Series 8 Track
- > QuickDrive2
- > SLS Springs
- > Carbon Fiber Overstructure with Carbon Fiber Bumper on 2.75" Models

850 RMK KHAOS



- > RMK KHAOS 155 / 2.75" Series 8
- > RMK KHAOS 155 / 3" Series 7 with OuickDrive2
- > RMK KHAOS 163 / 3" Series 7 with QuickDrive2
- > RMK KHAOS 165 / 2.75" Series 8 with OuickDrive2









SNOWCHECK EXCLUSIVE MODELS:

>850 INDY VR1 with 1.25" Ice Ripper, 1.35" Cobra or 1.5" Storm

> 650 INDY VR1 with 1.25" Ice Ripper, 1.35" Cobra or 1.5" Storm AVAILABLE COLORS

SNOWCHECK EXCLUSIVE FEATURES:

- > Polaris 7S Digital Display
- > WER® Velocity Shocks

21 **650 INDY VR1 129**

NOWCHECK EXCLUSIVE

- > Carbon Fiber Overstructure
- > Upgraded Rail Beam Brace



PLATFORM

SWITCHBACK ASSAULT 146 CHOOSE: 850 PATRIOT / 650 PATRIOT

SNOWCHECK EXCLUSIVE MODELS:

- >850 Switchback Assault 146 with 1.35" Cobra, 1.5" Ice Storm, 1.6" Cobra or 2.0" Crossover
- > 650 Switchback Assault 146 with 1.35" Cobra, 1.5" Ice Storm, 1.6" Cobra or 2.0" Crossover

SNOWCHECK EXCLUSIVE FEATURES:

- > Polaris 7S Digital Display
- > WER® 2" Velocity Shocks
- > Carbon Fiber Overstructure
- > Upgraded Rail Beam Brace



TO TRUE FACTORY CUSTOMIZATION

STEP 1 CHOOSE YOUR SLED

CHASSIS, ENGINE, TRACK

STEP 2 CHOOSE YOUR COLOR

PANELS, TUNNELS, RAILS

STEP 3 CHOOSE YOUR OPTIONS

SHOCKS, BARS, GAUGE, WINDSHIELD, STARTER





